MUNICIPAL STREET LIGHTING

(Page 1 of 2)

AVAILABILITY

This rate is available to municipal customers using the Company's electric service for area and street lighting.

RATE

All night street lighting service where fixtures are mounted on Company's existing standard wooden poles which are a part of Company's overhead distribution system will be charged for at the following rates:

| | | SIZE AND DESCRIPTION | Charges Month | Kwhrs. per Month |
|-----------------|-------------|---|------------------|---------------------|
| 9,000 | Lumens | (MH) (100W) Closed Type | \$ 9.16 | 45 |
| 15,000 | Lumens | (HPS) (150W) Open Type | \$ 8.63 | 63 |
| 15,000 | Lumens | (HPS) (150W) Closed Type | \$ 9.91 | 62 |
| 30,000 | Lumens | (MH) (320W) Closed Type | \$ 17.56 | 121 |
| 50,000 | Lumens | (HPS) (400W) Closed Type | \$ 17.71 | 164 |
| The following f | ixtures are | available for new installations only to maintain pattern sensitive areas: | | |
| 9,500 | Lumens | (HPS) (100W) Open Type | \$ 8.35 | 45 |
| 9,500 | Lumens | (HPS) (100W) Open Type (non-directional) - Retrofit | \$ 8.45 | 51 |
| 9,500 | Lumens | (HPS) (100W) Closed Type | \$ 9.79 | 45 |
| 15,000 | Lumens | (HPS) (150W) Open Type - Retrofit | \$ 8.62 | 62 |
| 15,000 | Lumens | (HPS) (150W) Closed Type - Retrofit | \$ 9.91 | 62 |
| 27,500 | Lumens | (HPS) (250W) Closed Type | \$ 15.95 | 106 |
| 45,000 | Lumens | (HPS) (360W) Closed Type - Retrofit | \$ 17.41 | 144 |

All night street lighting service in areas being served from Company's underground distribution system:

The following fixtures which are available for new installations where excavation and back filling are provided for the Company and existing fixtures previously billed as residential subdivision street lighting will be charged for at the following rates:

| Post-Top Mou | nted Lumin | aries | Lam | nditional o Charges r Month | Lamp | odern Charges Month | Lamp | lassic Charges Month | Kwhrs. per Month |
|--|------------|--------------------------|-----|-----------------------------------|------|---------------------------|------|----------------------------|---------------------|
| 9,000 | Lumens | (MH) (100VV) | \$ | 20.26 | \$ | 20.26 | \$ | 24.28 | 45 |
| 15,000 | Lumens | (HPS) (150W) | \$ | 20.81 | \$ | 20.81 | \$ | 25.02 | 63 |
| The following fixture is available for new installations only to maintain pattern sensitive areas: | | | | | | | | | |
| 9,500 | Lumens | (HPS) (100W) Traditional | \$ | 19.48 | | | | | 45 |
| 15,000 | Lumens | (HPS) (150W) - Retrofit | \$ | 19.76 | \$ | 20.81 | \$ | 25.02 | 63 |

Effective January 2009, selected existing light sets will no longer be available for new installations. Replacment light sets will only be available until inventory is depleted and will be replaced on a first-come, first-served basis. Affected lights are as follows:

| 4,000 | Lumens | (Mercury) (100W) Open Type (non-directional) | \$ 8.17 | 41 |
|--------|--------|--|-------------|-----|
| 7,500 | Lumens | (Mercury) (175W - Traditional) | \$ 20.26 | 72 |
| 7,500 | Lumens | (Mercury) (175W - Modern) | \$ 20.26 | 72 |
| 7,500 | Lumens | (Mercury) (175W - Classic) | \$ 24.28 | 72 |
| 7,500 | Lumens | (Mercury) (175W) Closed Type | \$ 9.78 | 72 |
| 7,500 | Lumens | (Mercury) (175W) Open Type (non-directional) | \$ 8.65 | 72 |
| 10,000 | Lumens | (Mercury) (250W) Closed Type | \$ 13.90 | 92 |
| 20,000 | Lumens | (Mercury) (400W) Closed Type | \$ 17.56 | 159 |

MINIMUM CHARGE

When construction costs exceed four (4) times the estimated annual revenue excluding fuel revenue to be derived by the Company, the customer may make a contribution in aid of construction of the excess cost or pay the Company's standard facility rate on the excess construction cost in addition to the rate charges above.

ADJUSTMENT FOR FUEL AND VARIABLE ENVIRONMENTAL COSTS

Fuel costs of \$.03291 per Kwhr. Are included in the monthly lamp charge and are subject to adjustment by order of the Public Service Commission of South Carolina.

STORM DAMAGE COMPONENT

The energy charges above include a storm damage component of \$.00152 per Kwhr. for accumulation of a storm damage reserve.

SALES AND FRANCHISE TAX

To the above will be added any applicable sales tax, franchise fee or business license tax which may be assessed by any state or local governmental body.

ELECTRICITY

RATE 17

MUNICIPAL STREET LIGHTING (Page 2 of 2)

PAYMENT TERMS

All bills are net and payable when rendered.

TERM OF CONTRACT

Contracts under this rate shall be written for a period of not less than ten (10) years; and such contract shall include a provision that the Municipality must purchase all of its electrical requirements from the Company. The Company reserves the right to remove its facilities when subject to vandalism or for other cogent reasons.

SPECIAL PROVISIONS

The Company will furnish, erect, operate and maintain all necessary equipment in accordance with its standard specifications. It is the customer's responsibility to notify the Company when equipment fails to operate properly. Non-standard service requiring underground, special fixtures and/or poles will be furnished only when the customer pays the difference in costs between such non-standard service and standard service or pays to the Company its normal monthly facility charge based on such difference in costs.

GENERAL TERMS AND CONDITIONS

UNDERGROUND STREET LIGHTING

(Page 1 of 2)

AVAILABILITY

This rate is available to customers, including municipal customers, using the Company's electric service for street and area lighting served from existing underground distribution facilities.

APPLICABILITY

Applicable only to outdoor lighting with ballast operated vapor lamp high intensity discharge fixtures, either high pressure sodium (HPS),or metal halide (MH), and with poles conforming to Company specifications. Services will be rendered only at locations that, solely in the opinion of the Company, are readily accessible for maintenance. If the Company is required to install light fixtures on poles other than those described herein, the Company will determine in each case the amount and form of payment required.

RATE PER LUMINARIES

| | | | RATE PER LUMINARIES | | | |
|--|--|----------------------|--|---------------------|---------|------------------------|
| | | | TION | | Charges | Kwhrs. |
| | Siz | ZE AND DESCRIP | TION | pei | Month | per Month |
| 9,000 | Lumens | (MH) (100W) | (Acorn, Round, or Octagonal Style)* | \$ | 15.61 | 45 |
| 15,000 | Lumens | (HPS) (150W) | (Acorn, Round, or Octagonal Style)* | \$ | 15.87 | 63 |
| 9,000 | Lumens | (MH) (100W) | (Traditional) | \$ | 11.01 | 45 |
| 15,000 | Lumens | (HPS) (150W) | (Traditional) | \$ | 11.56 | 63 |
| 9,000 | Lumens | (MH) (100W) | (Shepherd) | \$ | 22.48 | 45 |
| 15,000 | Lumens | (HPS) (150W) | (Shepherd) | \$ | 24.42 | 63 |
| 42,600 | Lumens | (MH) (400W) | Hatbox | \$ | 30.80 | 45 |
| 50,000 | Lumens | (HPS) (400W) | Hatbox | \$ | 29.43 | 152 |
| 110,000 | Lumens | (MH) (1000W) | Hatbox | \$ | 46.82 | 355 |
| 140,000 | Lumens | (HPS) (1000W) | Hatbox | \$ | 42.67 | 360 |
| 30,000 | Lumens | (MH) (320W) | Shoebox Type | \$ | 24.38 | 121 |
| 45,000 | Lumens | (HPS) (400W) | Shoebox Type | \$ | 21.51 | 164 |
| The following fi | xtures are a | vailable for new ins | tallations only to maintain pattern sensi | tive area | s: | |
| 15,000 | Lumens | (HPS) (150W) | (Modern) | \$ | 11.56 | 63 |
| 15,000 | Lumens | (HPS) (150W) | (Classic) | \$ | 15.77 | 63 |
| the state of the s | the second secon | 0 0 | will no longer be available for new installat a first-come, first-served basis. Affected ligh | Charles of the same | | vill only be available |
| 7 500 | Lumono | (MA) () (175)A() | (Acorn Bound or Octogonal Style)* | • | 15 14 | 72 |

| 7,500 | Lumens | (MV) (175W) | (Acorn, Round, or Octagonal Style)* | \$ 15.14 | 72 |
|--------|--------|-------------|-------------------------------------|-------------|-----|
| 7,500 | Lumens | (MV) (175W) | (Traditional) | \$ 11.01 | 72 |
| 7,500 | Lumens | (MV) (175W) | (Shepherd) | \$ 22.48 | 72 |
| 7,500 | Lumens | (MV) (175W) | (Modern) | \$ 11.01 | 72 |
| 7,500 | Lumens | (MV) (175W) | (Classic) | \$ 15.03 | 72 |
| 10,000 | Lumens | (MV) (250W) | (Acorn, Round, or Octagonal Style)* | \$ 16.51 | 92 |
| 20,000 | Lumens | (MV) (400W) | Shoebox Type | \$ 19.86 | 159 |
| 36,000 | Lumens | (MH) (400W) | Hatbox | \$ 30.80 | 157 |
| 40,000 | Lumens | (MH) (400W) | Shoebox Type | \$ 26.85 | 167 |

RATE PER POLE

| 15' Aluminum Shepherd's Crook / Direct Buried (Mounted Height) | \$ 24.00 |
|---|-------------|
| 15' Aluminum Shepherd's Crook / Base Mounted (Mounted Height) | \$ 32.00 |
| 12' Smooth/Fluted Aluminum (Mounted Height) | \$ 22.75 |
| 14' Smooth/Fluted Aluminum (Mounted Height) | \$ 23.40 |
| 17' Standard Fiberglass (Mounted Height) | \$ 9.25 |
| 42' Square Aluminum/Direct Buried (35' Mounted Height) | \$ 24.25 |
| 42' Round Aluminum/Direct Buried (35' Mounted Height) | \$ 24.25 |
| 35' Round Aluminum/Base Mounted (Add Base To Determine Mounted Height) | \$ 32.25 |
| 35' Square Aluminum/Base Mounted (Add Base To Determine Mounted Height) | \$ 35.25 |
| | |

UNDERGROUND STREET LIGHTING

(Page 2 of 2)

RESIDENTIAL SUBDIVISION CUSTOMER CHARGE

*The lights described above may be installed in new or existing residential subdivisions at the ratio of one light for either every four (4) or six (6) metered residences. An administrative charge of \$2.25 will be added to each fixture billed under this provision. Each monthly bill rendered will include an amount for the installed lighting. Such amount will be determined by adding the appropriate charges above for the installed luminaries, pole, and administrative charge and dividing such charge by either four (4) or six (6). This provision is applicable only if no other lighting option is available for the residential subdivision. This provision is not available for lighting parking lots, shopping centers, other public or commercial areas nor the streets of an incorporated municipality.

REPLACEMENT OF EXISTING SYSTEMS

In the event that the customer desires to replace an existing lighting system owned and operated by the company, the customer shall be required to pay to the Company an amount equal to the provision for early contract termination listed below.

PROVISION FOR EARLY CONTRACT TERMINATION

In the event that the customer terminates the contract prior to the end of the contract term, the customer shall pay as the termination charge the appropriate charges above excluding fuel for the remainder of the contract term; plus the sum of original cost of the installed equipment, less accumulated depreciation through the effective termination date, plus removal and disposal costs, plus environmental remediation costs less any applicable salvage values, the total of which shall in no case be less than zero.

MINIMUM CHARGE

When construction costs exceed four (4) times the estimated annual revenue excluding fuel revenue to be derived by the Company, the customer may make a contribution in aid of construction of the excess cost or pay the Company's standard facility rate on the excess construction cost in addition to the rate charges above.

ADJUSTMENT FOR FUEL AND VARIABLE ENVIRONMENTAL COSTS

Fuel costs of \$.03291 per Kwhr. are included in the monthly lamp charge and are subject to adjustment by order of the Public Service Commission of South Carolina

STORM DAMAGE COMPONENT

The energy charges above include a storm damage component of \$.00152 per Kwhr. for accumulation of a storm damage reserve.

SALES AND FRANCHISE TAX

To the above will be added any applicable sales tax, franchise fee or business license tax which may be assessed by any state or local governmental body.

PAYMENT TERMS

All bills are net and payable when rendered.

TERM OF CONTRACT

Contracts under this rate shall be written for a period of not less than ten (10) years. The Company reserves the right to remove its facilities when subject to vandalism or for other cogent reasons.

SPECIAL PROVISIONS

The Company will furnish, erect, operate and maintain all necessary equipment in accordance with its standard specifications. Standard service for post top decorative lamps requiring underground wiring shall include one hundred twenty five feet of service conductor, all necessary trenching and back-filling in normal, unimproved soil. Non-standard equipment or installation in extraordinary conditions such as, but not limited to, landscaped areas, paved areas, or extremely rocky or wet soil will require the customer to pay the difference in cost between such non-standard equipment and/or extraordinary conditions and the standard service installed under normal conditions or pay to the Company its normal monthly facility charge based on such difference in costs.

GENERAL TERMS AND CONDITIONS

The Company's General Terms and Conditions are incorporated by reference and are a part of this rate schedule. Service hereunder is subject to Rules and Regulations for Electric Service of the Public Service Commission of South Carolina.

RATE 25 OVERHEAD FLOODLIGHTING

AVAILABILITY

This rate is available to customers using the Company's electric service for Overhead Floodlighting.

RATE

All night floodlighting service where fixtures are mounted on Company's standard wooden poles which are part of Company's distribution system will be charged for at the following rates:

| | | Lamp | Charges | Kwhrs. | | |
|--|---|--|----------------------|---|--|--|
| | SIZE AND DESCRIPTION | per | Month | per Month | | |
| Lumens | (MH) (320W) | \$ | 22.71 | 121 | | |
| Lumens | (HPS) (400W) | \$ | 21.16 | 144 | | |
| Lumens | (HPS) (400W) | \$ | 19.63 | 144 | | |
| Lumens | (Metal Halide) (1,000W) | \$ | 46.59 | 385 | | |
| Lumens | (HPS) (1,000W) Flood | \$ | 39.14 | 394 | | |
| The following fixtures are available for new installations only to maintain pattern sensitive areas: | | | | | | |
| Lumens | (HPS) (360W) - Retrofit | \$ | 21.46 | 164 | | |
| Lumens | (HPS) (940W) - Retrofit | \$ | 38.77 | 370 | | |
| | Lumens Lumens Lumens Lumens fixtures are Lumens | Lumens (MH) (320W) Lumens (HPS) (400W) Lumens (HPS) (400W) Lumens (Metal Halide) (1,000W) Lumens (HPS) (1,000W) Flood fixtures are available for new installations only to maintain pattern sensitive areas: Lumens (HPS) (360W) - Retrofit | SIZE AND DESCRIPTION | Lumens (MH) (320W) \$ 22.71 Lumens (HPS) (400W) \$ 21.16 Lumens (HPS) (400W) \$ 19.63 Lumens (Metal Halide) (1,000W) \$ 46.59 Lumens (HPS) (1,000W) Flood \$ 39.14 fixtures are available for new installations only to maintain pattern sensitive areas: Lumens (HPS) (360W) - Retrofit \$ 21.46 | | |

Effective January 2009, selected existing light sets will no longer be available for new installations. Replacment light sets will only be available until inventory is depleted and will be replaced on a first-come, first-served basis. Affected lights are as follows:

| 20,000 | Lumens | (Mercury) (400W) | \$ | 20.19 | 159 |
|--------|--------|-----------------------|----|-------|-----|
| 40,000 | Lumens | (Metal Halide) (400W) | \$ | 26.92 | 167 |
| 55,000 | Lumens | (Mercury) (1,000W) | S | 33.11 | 379 |

Cost per month for each additional pole:

| 25' | 30' | 35' | 40' | 45' |
|--------------|--------|--------|--------|--------|
| (Fiberglass) | | | | |
| \$9.60 | \$4.25 | \$4.75 | \$6.25 | \$7.25 |

MINIMUM CHARGE

When construction costs exceed four (4) times the estimated annual revenue excluding fuel revenue to be derived by the Company, the customer may make a contribution in aid of construction of the excess cost or pay the Company's standard facility rate on the excess construction cost in addition to the rate charges above.

ADJUSTMENT FOR FUEL AND VARIABLE ENVIRONMENTAL COSTS

Fuel costs of \$.03291 per Kwhr. are included in the monthly lamp charge and are subject to adjustment by the Public Service Commission of South Carolina

STORM DAMAGE COMPONENT

The energy charges above include a storm damage component of \$.00152 per Kwhr. for accumulation of a storm damage reserve.

SALES AND FRANCHISE TAX

To the above will be added any applicable sales tax, franchise fee or business license tax which may be assessed by any state or local governmental body.

PAYMENT TERMS

All bills are net and payable when rendered.

TERM OF CONTRACT

The initial term of this contract shall be for a period of five (5) years and, thereafter, for like periods until terminated by either party on thirty days' written notice, but the Company may require a contract of initial term up to ten (10) years and may require an advance deposit not to exceed one half of the estimated revenue for the term of the initial contract. The Company reserves the right to remove its facilities when subject to vandalism or for other cogent reasons.

SPECIAL PROVISIONS

The Company will furnish, erect, operate and maintain all necessary equipment in accordance with its standard specifications. It is the customer's responsibility to notify the Company when equipment fails to operate properly. Non-standard service requiring underground, special fixtures and/or poles will be furnished only when the customer pays the difference in costs between such non-standard service and standard service or pays to the Company its normal monthly facility charge based on such difference in costs.

GENERAL TERMS AND CONDITIONS

The Company's General Terms and Conditions are incorporated by reference and are a part of this rate schedule.

OVERHEAD PRIVATE STREET LIGHTING

(Page 1 of 2)

AVAILABILITY

This rate is available to customers using the Company's electric service for overhead street lighting.

RATE

All night street lighting service where fixtures are mounted on Company's existing standard wooden poles which are a part of Company's distribution system will be charged for at the following rates:

| | | | Lam | p Charges | Kwhrs. |
|-----------------|--------------|---|-----|-----------|-----------|
| | | SIZE AND DESCRIPTION | pe | r Month | per Month |
| 9,000 | Lumens | (MH) (100W) Closed Type | \$ | 9.14 | 45 |
| 15,000 | Lumens | (HPS) (150W) Open Type | \$ | 10.02 | 63 |
| 15,000 | Lumens | (HPS) (150W) Closed Type | \$ | 11.42 | 63 |
| 30,000 | Lumens | (MH) (320W) Closed Type | \$ | 17.56 | 121 |
| 50,000 | Lumens | (HPS) (400W) Closed Type | \$ | 18.89 | 164 |
| The following f | fixtures are | available for new installations only to maintain pattern sensitive areas: | | | |
| 9,500 | Lumens | (HPS) (100W) Open Type | \$ | 9.89 | 45 |
| 9,500 | Lumens | (HPS) (100W) Closed Type | \$ | 10.04 | 45 |
| 15,000 | Lumens | (HPS) (150W) Open Type - Retrofit | \$ | 10.02 | 63 |
| 27,500 | Lumens | (HPS) (250W) Closed Type | \$ | 16.50 | 106 |
| 45,000 | Lumens | (HPS) (360W) Closed Type - Retrofit | \$ | 18.59 | 144 |

Effective January 2009, selected existing light sets will no longer be available for new installations. Replacment light sets will only be available until inventory is depleted and will be replaced on a first-come, first-served basis. Affected lights are as follows:

| 7,500 | Lumens | (Mercury) (175W) Open Type | \$ 9.13 | 72 |
|--------|--------|------------------------------|-------------|-----|
| 7,500 | Lumens | (Mercury) (175W) Closed Type | \$ 11.38 | 72 |
| 10,000 | Lumens | (Mercury) (250W) Open Type | \$ 13.96 | 92 |
| 20,000 | Lumens | (Mercury) (400W) Closed Type | \$ 17.56 | 159 |

Cost per month for each additional pole:

| 25' | 30' | 35' | 40' | 45' |
|--------------|--------|--------|--------|--------|
| (Fiberglass) | | | | |
| \$9.60 | \$4.25 | \$4.75 | \$6.25 | \$7.25 |

MINIMUM CHARGE

When construction costs exceed four (4) times the estimated annual revenue excluding fuel revenue to be derived by the Company, the customer may make a contribution in aid of construction of the excess cost or pay the Company's standard facility rate on the excess construction cost in addition to the rate charges above.

ADJUSTMENT FOR FUEL AND VARIABLE ENVIRONMENTAL COSTS

Fuel costs of \$.03291 per Kwhr. are included in the monthly lamp charge and are subject to adjustment by the Public Service Commission of South Carolina

STORM DAMAGE COMPONENT

The energy charges above include a storm damage component of \$.00152 per Kwhr. for accumulation of a storm damage reserve.

SALES AND FRANCHISE TAX

To the above will be added any applicable sales tax, franchise fee or business license tax which may be assessed by any state or local governmental body.

PAYMENT TERMS

All bills are net and payable when rendered.

TERM OF CONTRACT

The initial term of this contract shall be for a period of five (5) years and, thereafter, for like periods until terminated by either party on thirty days' written notice, but the Company may require a contract of initial term up to ten (10) years and may require an advance deposit not to exceed one half of the estimated revenue for the term of the initial contract. The Company reserves the right to remove its facilities when subject to vandalism or for other cogent reasons.

SPECIAL PROVISIONS

The Company will furnish, erect, operate and maintain all necessary equipment in accordance with its standard specifications. It is the customer's responsibility to notify the Company when equipment fails to operate properly. Non-standard service requiring underground, special fixtures and/or poles will be furnished only when the customer pays the difference in costs between such non-standard service and standard service or pays to the Company its normal monthly facility charge based on such difference in costs.

GENERAL TERMS AND CONDITIONS

The Company's General Terms and Conditions are incorporated by reference and are a part of this rate schedule.

(Page 1 of 2)

RESIDENTIAL SUBDIVISION STREET LIGHTING

AVAILABILITY

Available to residential subdivisions located on the Company's distribution system. Residents of established subdivisions must first execute a street lighting agreement with the Company. This rate schedule is not available for lighting parking lots, shopping centers, other public or commercial areas or the streets of an incorporated municipality nor if other lighting options are available for new residential subdivisions.

RATE

All night street lighting service where fixtures are mounted on Company's existing standard wooden poles which are a part of Company's overhead distribution system will be charged for at the following rates:

The following amount will be added to each monthly bill rendered for residential electric service within the subdivision:

| Bracket Mounted Luminaries | | | | | | | |
|---|--------|-------------------------|-----------|------|--------------|--|--|
| and a | | | | | 5 | | |
| 1 light per 8 customers or fraction thereof | | per | per Month | | | | |
| 9,000 | Lumens | (MH) (100W) Closed Type | \$ | 1.95 | per customer | | |
| 15,000 | Lumens | (HPS) (150W) Open Type | \$ | 2.07 | per customer | | |
| 15,000 | Lumens | (HPS) (150W) - Retrofit | \$ | 2.07 | per customer | | |

The following mercury vapor metal halide fixtures are available for new installations only to maintain pattern sensitive areas:

| 1 light per 4 customers | or fraction thereof | | | | | | | |
|---|---|----|------|--------------|--|--|--|--|
| 9,000 Lumens | (MH) (100W) Closed Type | \$ | 3.91 | per customer | | | | |
| 1 light per 3 customers of | light per 3 customers or fraction thereof | | | | | | | |
| 9,000 Lumens | (MH) (100W) Closed Type | \$ | 5.21 | per customer | | | | |
| light per 2 customers or fraction thereof | | | | | | | | |
| 9,000 Lumens | (MH) (100W) Closed Type | \$ | 7.82 | per customer | | | | |

All night street lighting service in subdivisions being served from Company's underground distribution system:

The following amount will be added to each monthly bill rendered for residential electric service within the subdivision:

| Post-Top Mounted Luminaries | | Tra | Traditional | | Modern | | assic | |
|-----------------------------|-------------------------|------|-------------|------|---------|------|--------|--------------|
| | | Lamp | Charges | Lamp | Charges | Lamp | Charge | s |
| 1 light per 6 customers or | r fraction thereof | per | Month | per | Month | per | Month | |
| 9,000 Lumens | (MH) (100W) | \$ | 3.75 | \$ | 3.75 | \$ | 4.42 | per customer |
| 15,000 Lumens | (HPS) (150W) - Retrofit | \$ | 3.84 | \$ | 3.84 | \$ | 4.55 | per customer |
| light per 4 customers or | r fraction thereof | | | | | | | |
| 9,000 Lumens | (MH) (100W) | \$ | 5.63 | \$ | 5.63 | \$ | 6.63 | per customer |
| 15,000 Lumens | (HPS) (150W) - Retrofit | \$ | 5.77 | \$ | 5.77 | \$ | 6.82 | per customer |

The following fixture is available for new installations only to maintain pattern sensitive areas:

| 1 light per 6 customers or | fraction thereof | | |
|----------------------------|----------------------------|------------|--------------|
| 9,500 Lumens | (HPS) (100W) - Traditional | \$ 3.84 | per customer |

Effective January 2009, selected existing light sets will no longer be available for new installations. Replacment light sets will only be available until inventory is

| | | ected existing light sets we ed on a first-come, first-se | | | | | acment lig | nt sets will of | nly be av | /allable u | ntil inventory is |
|-------------------|---------------|--|--------------|---------|--------------------|---------|------------|-----------------|-----------|------------|-------------------|
| Open Type Gl | obe - 1 ligh | t per 8 customers or frac | ction thereo | of | | | | | | | |
| 7,500 | Lumens | (Mercury) (175W) Open | Туре | | | | | | \$ | 1.95 | per customer |
| 7,500 | Lumens | (Mercury) (175W) Close | d Type | | | | | | \$ | 2.24 | per customer |
| Open Type Glo | obe - 1 ligh | t per 4 customers or frac | ction thereo | of | | | | | | | |
| 7,500 | Lumens | (Mercury) (175W) Open | Type | | | | | | \$ | 3.91 | per customer |
| 7,500 | Lumens | (Mercury) (175W) Close | d Type | | | | | | \$ | 4.47 | per customer |
| Open Type Glo | obe - 1 ligh | t per 3 customers or frac | ction thereo | of | | | | | | | |
| 7,500 | Lumens | (Mercury) (175W) Open | Туре | | | | | | \$ | 5.21 | per customer |
| 7,500 | Lumens | (Mercury) (175W) Close | d Type | | | | | | \$ | 5.96 | per customer |
| Open Type Glo | obe - 1 light | per 2 customers or frac | ction thereo | of | | | | | | | |
| 7,500 | Lumens | (Mercury) (175W) Open | Туре | | | | | | \$ | 7.82 | per customer |
| 7,500 | Lumens | (Mercury) (175W) Close | d Type | | | | | | \$ | 8.94 | per customer |
| Post-Top Mou | nted Lumin | aries | Tradi | tional | Mo | odern | CI | assic | | | |
| | | | Lamp | Charges | Lamp | Charges | Lamp | Charges | | | |
| 1 light per 6 cus | stomers or f | raction thereof | | Month | STATE OF THE PARTY | Month | | Month | | | |
| 7,500 | Lumens | (Mercury) (175W) | \$ | 3.75 | \$ | 3.75 | \$ | 4.42 | | | |
| 1 light per 4 cus | stomers or f | raction thereof | | | | | | | | | |
| | Lumens | (Mercury) (175W) | \$ | 5.63 | \$ | 5.63 | \$ | 6.63 | | | |

(Page 2 of 2)

RESIDENTIAL SUBDIVISION STREET LIGHTING

MINIMUM CHARGE

When construction costs exceed four (4) times the estimated annual revenue excluding fuel revenue to be derived by the Company, the customer may make a contribution in aid of construction of the excess cost or pay the Company's standard facility rate on the excess construction cost in addition to the rate charges above.

ADJUSTMENT FOR FUEL AND VARIABLE ENVIRONMENTAL COSTS

Fuel costs of \$.03291 per Kwhr. are included in the monthly lamp charge and are subject to adjustment by the Public Service Commission of South Carolina

STORM DAMAGE COMPONENT

The energy charges above include a storm damage component of \$.00152 per Kwhr. for accumulation of a storm damage reserve.

SALES AND FRANCHISE TAX

To the above will be added any applicable sales tax, franchise fee or business license tax which may be assessed by any state or local governmental body.

PAYMENT TERMS

All bills are net and payable when rendered.

TERM OF CONTRACT

The initial term of this contract shall be for a period of five (5) years and, thereafter, for like periods until terminated by either party on thirty days' written notice, but the Company may require a contract of initial term up to ten (10) years and may require an advance deposit not to exceed one half of the estimated revenue for the term of the initial contract. The Company reserves the right to remove its facilities when subject to vandalism or for other cogent reasons.

SPECIAL PROVISIONS

The Company will furnish, erect, operate and maintain all necessary equipment in accordance with its standard specifications. It is the customer's responsibility to notify the Company when equipment fails to operate properly. Non-standard service requiring underground, special fixtures and/or poles will be furnished only when the customer pays the difference in costs between such non-standard service and standard service or pays to the Company its normal monthly facility charge based on such difference in costs.

GENERAL TERMS AND CONDITIONS

The Company's General Terms and Conditions are incorporated by reference and are a part of this rate schedule.

Effective Upon Approval by the Public Service Commission of South Carolina